

货物运输条件鉴定书
Certification for Transport of Goods

普通货物

| | |
|----------------|---------------------------------------|
| 样品名称 | YX-Li-022148-LAR |
| (Samples) | YX-Li-022148-LAR |
| 委托单位 | 东莞市钜大电子有限公司 |
| (Client) | Dong Guan Large Electronics Co., Ltd. |
| 生产单位 | 东莞市钜大电子有限公司 |
| (Manufacturer) | Dong Guan Large Electronics Co., Ltd. |

P O N Y 谱 尼 测 试
Pony Testing International Group
www.ponytest.com

注：本电子版本用于客户校对确认。最终内容请以正式报告为准。

Report in electronic version is only for client's preview and reference. For confirmative content, formal test report shall prevail.

货物运输条件鉴定书

Certification for Transport of Goods

| | |
|--|---|
| 样品名称 | YX-Li-022148-LAR |
| Name & Model | YX-Li-022148-LAR |
| 委托单位 | 东莞市钜大电子有限公司 |
| Applicant | Dong Guan Large Electronics Co., Ltd. |
| 公司地址 | 东莞市南城区白马工业区黄金二路北华丰实业大厦三楼 A5 |
| Address | A5# Nancheng District, Baima Golden Road, Huafeng Building, The Third Floor No.5, Dongguan City |
| 样品外观及性状 Appearance & Odor | 该样品为固体，标称电压为 14.8V，额定电容量为 2200mAh，电能为 32.56 瓦特时。 The sample is a solid. Nominal voltage is 14.8V, Rated capacity is 2200mAh, and Electric energy is 32.56Wh. |
| 货物主要危险性 Main Hazards | 化学物质包含在密封电池外壳内。当电池机械破损时会产生危害。遇火会引起爆炸。 These chemicals are contained in a sealed can. Risk of exposure occurs only if the battery is mechanically or electrically abused. If in fire, battery may cause to explode. |
| 鉴定结果(Conclusion) | |
| 1、危险性识别(Hazard identification): ①电能=32.56 瓦特时。 ②经测试证明其符合《联合国危险物品运输试验和标准手册》第 3 部分 38.3 款的所有要求。 ③装在仪器设备中运输，不需要做 1.2 米跌落测试。 ④电池需互相隔开以防短路，并装放在结实的容器里，防止意外短路。 ⑤每批货物必须附有随机文件，文件内容包括内含锂电池、小心搬运、包装件受损时应遵循的特别程序、电话等信息。 | |

货物运输条件鉴定书

Certification for Transport of Goods

⑥仪器内电池数量超过 4 个电池或 2 个电池组时，需贴有“锂电池警示标识”。

⑦禁止运输从安全角度有缺陷的锂电池。

①Electric energy=32.56Wh.

②Test proves that this type of battery pass the UN38.3 test.

③Transport installed in equipment, 1.2m drop test is not needed.

④Batteries are separated so as to prevent short circuits and are packed in strong packaging.

⑤Each consignment must be accompanied with a document with an indication including packed with lithium batteries, handled with care, special procedures should be followed in the event that the package is damaged, a telephone number etc.

⑥Each package containing more than four cells or more than two batteries installed in equipment must be labeled with a “lithium battery handling label”.

⑦Lithium batteries as being defective for safety reasons are forbidden for transport.

2、建议比照办理的类项和编号(Suggestion according to DGR):

可按普通货物条件办理。

The goods are not subject to DGR.

3、包装要求(Packaging requirements):

参照 DGR 包装说明 967。

The goods are packaged according to the packaging instruction 967 of DGR.

货物运输条件鉴定书

Certification for Transport of Goods

| | |
|------------------|---|
| 鉴定依据 Criteria | 1)《联合国危险货物运输的建议书规章范本》; 2)IATA《危险品规则》; 3)该物质的 UN38.3 报告。 1) <<Technical Instructions for the Safe Transport of Dangerous Goods>>; 2) IATA<<Dangerous Goods Regulation>>; 3) The UN38.3 test report. |
| 备注 Remark | 适用于空运。 Be applicable to transport by air. |

批准(Technique Controller):




批准日期(Approval Date): 2010 年 11 月 26 日

货物运输条件鉴定书

Certification for Transport of Goods

| 项目 Item | 鉴定结果 Conclusion |
|-----------------------------|---|
| 爆炸危险性 Explosive Danger | 资料和成份结构显示不属于爆炸品。 The data and components structure indicate the article does not belong to explosive. |
| 易燃危险性 Flammable Danger | 不属于易燃类物质。 It does not belong to flammability substance. |
| 氧化危险性 Oxidizing Danger | 不能加速纤维素的燃烧，不属于氧化性物质。 The screening tests indicate the article does not belong to oxidizing solid because it can not make fibrin accelerate burning rate. |
| 毒害危险性 Toxic Danger | 口服毒性小，不属于毒性物质。 The oral toxicity is low, so it does not belong to toxic article. |
| 放射危险性 Radioactive Danger | 资料显示无放射性危害。 The data indicates the article has no radioactivity. |
| 腐蚀危险性 Corrosive Danger | 对碳钢、铝金属无腐蚀性，不属于腐蚀性物质。 The article can not corrupt steel, aluminum, so it has no corrosive. |
| 其它危险性 Other Danger | 正常使用下，无刺激性、麻醉性及其它危险性。 In normal situation, no narcotic, irritating and other hazards. |

图片 (Photo):



仅对原报告照片中的样品负责

Authenticate the photo on original report only

声 明

Statement

- 1、本鉴定书依据本年度国际航协《危险品规则》、委托人（托运人或代理人）提供的物品及其运输信息出具。

This certification is issued according to IATA 《Dangerous Goods Regulation》 published in the current year, the information of the goods and its shipment provided by the applicant (shipper or his agent).

- 2、本鉴定书的鉴定结论仅对客户所送样品负责。由于客户提供的样品及其信息不真实而导致的一切后果均由客户负责。

The conclusion of this certification is responsible only for the sample provided by the applicant. The applicant should undertake the law responsibility that result from providing untruth sample and untruth information.

- 3、本鉴定书经批准人签字并加盖谱尼测试印章后生效。

This certification will be effective only after it is signed by the Technique Controller and stamped by Pony Testing International Group.

- 4、本鉴定书私自转让、复制、盗用、冒用、涂改、或以任何媒体形式篡改的均属无效。

The certification is invalid when anything of the following happens –illegal transfer, reproduction, embezzlement, imposture, modification or tampering in any media form.

- 5、本鉴定书不考虑国家及经营人差异。

The certification takes no account of the state and operator variations.

- 6、此报告需同 UN38.3 检测报告(1011093-085, 1011093-085a)一同使用。

This report should be used along with the UN38.3 report (1011093-085, 1011093-085a).

- 7、本鉴定书自 2010 年 11 月 26 日到 2011 年 11 月 25 日之内有效。

The certification is only valid from November 26, 2010 to November 25, 2011.