

锂电池跌落测试报告

Lithium Battery Drop Test Report

Sample Name

YX-Li-022148-LAR

Client

Dong Guan Large Electronics Co., Ltd.

Manufacturer

Dong Guan Large Electronics Co., Ltd.

P O N Y 谱 尼 测 试
Pony Testing International Group

www.ponytest.com

Data and text given by electronic version report are preliminary results.
For confirmative content , the official testing report shall prevail.

I. SAMPLE DESCRIPTION

Sample Name	YX-Li-022148-LAR	Battery Type	YX-Li-022148-LAR
Client	Dong Guan Large Electronics Co., Ltd.		
Manufacturer	Dong Guan Large Electronics Co., Ltd.		
Nominal Voltage	3.7V	Rated Capacity	2200mAh
Outer package	Corrugated Case	Inner package	Corrugated Box+Clapboard
Dimensions	19.5×21×30cm	Cushion	Bubble Bag
Gross weight	10KG	Battery number	48Pcs/Carton
Client date	2010-11-07	Finished date	2010-11-26

II. STANDARD

<<Recommendations on the transport of dangerous goods>>

III. TEST ITEM

1.2m Drop test

IV. CONCLUSION

ITEM	SAMPLE NUMBER	CONCLUSION
Drop test	1011093-085a~1	PASS

The submitted samples were complied with the stated requirements of <<Recommendations on the transport of dangerous goods>>.


Technique Controller:



Approval Date: November 26, 2010

V. TEST METHOD

The package of batteries is dropped from 1.2m 5 times per package. Each package is capable of withstanding a 1.2m drop test in any orientation without damage to cells or batteries contained therein, without shifting of the content so as to allow battery to battery (cell to cell) contact and without release of contents.



VI. TEST APPARATUS

SZSB-079 Drop test system

VII. DATA

Drop test

Drop position	Top	Front	Side	Edge	Angle
Status	PASS	PASS	PASS	PASS	PASS