



Pony Testing International Group

报告编号(Report ID): 1011253-072a~1

锂电池跌落测试报告

Lithium Battery Drop Test Report

样品名称

LARGE 18650 3.7V 2200mAh

(Samples)

委托单位

Dong Guan Large Electronics Co., Ltd.

(Client)

生产单位

Dong Guan Large Electronics Co., Ltd.

(Manufacturer)

PONY 谱尼测试

Pony Testing International Group

www.ponytest.com



Pony Testing International Group

I. SAMPLE DESCRIPTION

Sample Name	LARGE 18650 3.7V 2200mAh	Battery Type	LARGE 18650 3.7V 2200mAh
Client	Dong Guan Large Electronics Co., Ltd.		
Manufacturer	Dong Guan Large Electronics Co., Ltd.		
Nominal Voltage	3.7V	Rated Capacity	2200mAh
Outer package	Corrugated Case	Inner package	Paper Box
Dimensions	48×32×20cm	Cushion	PE Bag
Gross weight	10KG	Battery number	280Pcs/Carton
Client date	2010-11-25	Finished date	2010-12-14

II. STANDARD

<<Recommendations on the transport of dangerous goods>>

III. TEST ITEM

1.2m Drop test

IV. CONCLUSION

ITEM	SAMPLE NUMBER	CONCLUSION
Drop test	1011253-072a~1	PASS

The submitted samples were complied with the stated requirements of <<Recommendations on the transport of dangerous goods>>.

Technique Controller:

Approval Date: December 14, 2010

本检测单位保证检测的客观公正性，并对委托单位的商业秘密履行保密义务；委托单位对样品的代表性和资料的真实性负责，本检测单位仅对样品负责，委托单位对于检测结果的使用、使用所产生的直接或间接损失及一切法律后果，本检测单位不承担任何经济和法律责任；本《检测报告》如无PONY专用章和批准人签字或被复制，则无效；任何对本《检测报告》未经授权的部分或全部转载、篡改、伪造或复制行为都是违法的，将被追究民事、行政甚至刑事责任。

防伪说明：(1)《检测报告》的报告编号是唯一的，即每一个报告编号仅对应唯一的《检测报告》；
(2)《检测报告》采用特制防伪纸张印制，纸张表面常有“PONY”防伪纹路，该防伪纹路不支持复印，即复制件不会带有“PONY”防伪纹路；
(3)《检测报告》采用的防伪纸张内部亦加带有高科技“PONY”防伪水印，只有在验钞机等紫外线照射下方可见由无色荧光防伪字样；
(4)《检测报告》所盖防伪骑缝章中的一部分加盖于本检测单位的留底报告上，《检测报告》与本检测单位留底报告的骑缝章应拼合完整无缺。

www.ponytest.com ☎Hotline 400-819-5688

Add: Yingzhi Building No.49-3, Suzhou
Road, Haidian District, Beijing
Tel: (010)82618116
Fax: (010)82619629
E-mail: pony@ponytest.com

Building 35, No.680, Guiping Road, Building 6 of Zhongxing Industry City,
Xuhui District, Shanghai
(021)64851999
(021)64856403
csh@ponytest.com

Building 6 of Zhongxing Industry City,
Chuangye Road, Nanshan District, Shenzhen
(0755)26050909
(0755)26068336
sz@ponytest.com

No.2-1, Keyuan Wei Road 3, Hi-tech
Park, Laoshan District, Qingdao
(0532)88706866
(0532)88706877
qd@ponytest.com


Pony Testing International Group



Pony Testing International Group

V. TEST METHOD

The package of batteries is dropped from 1.2m 5 times per package. Each package is capable of withstanding a 1.2m drop test in any orientation without damage to cells or batteries contained therein, without shifting of the content so as to allow battery to battery (cell to cell) contact and without release of contents.



VI. TEST APPARATUS

SZSB-079 Drop test system

VII. DATA

Drop test

Drop position	Top	Front	Side	Edge	Angle
Status	PASS	PASS	PASS	PASS	PASS

本检测单位保证检测的客观公正性，并对委托单位的商业秘密履行保密义务；委托单位对样品的代表性和资料的真实性负责，本检测单位仅对样品负责，委托单位对于检测结果的使用，使用所产生的直接或间接损失及一切法律后果，本检测单位不承担任何经济和法律后果；本《检测报告》如无PONY专用章和批准人签字或被复制，则无效；任何对本《检测报告》未经授权的部分或全部转载、篡改、伪造或复制行为都是违法的，将被追究民事、行政甚至刑事责任。

防伪说明：(1)《检测报告》的报告编号是唯一的，即每一个报告编号只对应唯一的《检测报告》；
(2)《检测报告》采用特制防伪纸张印制，纸张表面带有“PONY”防伪纹路，该防伪纹路不支持复印，即复印件不会带有“PONY”防伪纹路；
(3)《检测报告》采用的防伪纸张内部亦加带有高科技“PONY”防伪水印，只有在验钞机等紫外线照射下方可见出无色或光防伪字样；
(4)《检测报告》所盖防伪骑缝章中的一部分加盖于本检测单位的留底报告上，《检测报告》与本检测单位留底报告的骑缝章应拼合完整无缺。